

Applications of Mars Global Reference Atmospheric Model (Mars-GRAM 2005) Supporting Mission Site Selection for Mars Science Laboratory

Hilary L. Justh¹ and C. G. Justus²

¹NASA, Marshall Space Flight Center, Mail Code EV44, Marshall Space Flight Center, AL 35812, Hilary.L.Justh@nasa.gov
 ²Stanley Associates, Marshall Space Flight Center, Mail Code EV44, Marshall Space Flight Center, AL 35812, Carl.G.Justus@nasa.gov

Mars Global Reference Atmospheric Model (Mars-GRAM)



- Engineering-level atmospheric model widely used for diverse mission applications
- Mars-GRAM's perturbation modeling capability is commonly used, in a Monte-Carlo mode, to perform high fidelity engineering end-to-end simulations for entry, descent, and landing (EDL)¹.
- Traditional Mars-GRAM options for representing the mean atmosphere along entry corridors include:
 - TES Mapping Years 1 and 2, with Mars-GRAM data coming from MGCM model results driven by observed TES dust optical depth
 - TES Mapping Year 0, with user-controlled dust optical depth and Mars-GRAM data interpolated from MGCM model results driven by selected values of globally-uniform dust optical depth.
- From the surface to 80 km altitude, Mars-GRAM is based on NASA Ames Mars General Circulation Model (MGCM). Mars-GRAM and MGCM use surface topography from Mars Global Surveyor Mars Orbiter Laser Altimeter (MOLA), with altitudes referenced to the MOLA areoid, or constant potential surface.
- Mars-GRAM 2005 has been validated² against Radio Science data, and both nadir and limb data from the Thermal Emission Spectrometer (TES)³.

NASA

New Features of Mars-GRAM 2005

- Option to use input data sets from MGCM model runs that were designed to closely simulate conditions observed during the first two years of TES observations at Mars
 - TES Year 1 = April 1999 through January 2001
 - TES Year 2 = February 2001 through December 2002
- Option to read and use any auxiliary profile of temperature and density versus altitude. In exercising the auxiliary profile Mars-GRAM option, the values from the auxiliary profile replace data from the original MGCM databases
 - Examples of auxiliary profiles:
 - Data from TES (nadir or limb) observations
 - Mars mesoscale model output at a particular location and time
- Two Mars-GRAM parameters allow standard deviations of Mars-GRAM perturbations to be adjusted
 - rpscale can be used to scale density perturbations up or down
 - rwscale can be used to scale wind perturbations



Mars-GRAM Auxiliary Profiles

- Mars-GRAM auxiliary profiles (either vertical or along the actual entry corridor) were generated by interpolation from the mesoscale model output data.
- Table shows an example
 Mars-GRAM auxiliary profile
 from MRAMS model output at
 the Terby landing site.
- These Mars-GRAM auxiliary profiles can be used in Mars-GRAM to provide detailed MSL entry dynamics simulations


Example Mars-GRAM Auxiliary Profile – Mean Values from Terby MRAMS Simulation


Hgt_km								
-2 -27.466 74.11 177.78 6.84E+02 2.01E-02 -0.2 10.3 0 -27.466 74.11 190.04 5.53E+02 1.52E-02 -3.24 2.91 2 -27.466 74.11 196.26 4.53E+02 1.21E-02 -2.25 8.49 4 -27.466 74.11 199.76 3.73E+02 9.76E-03 2.87 10.49 6 -27.466 74.11 199.88 3.08E+02 8.05E-03 9.61 12.16 8 -27.466 74.11 198.28 2.53E+02 6.68E-03 14.95 12.17 10 -27.466 74.11 195.73 2.09E+02 5.57E-03 18.24 12.43 12 -27.466 74.11 191.06 1.40E+02 3.83E-03 20.72 13.52 14 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 184.2 7.55E+01 2.15E-03 13.57 4.22 22 -27.466 74.11 176.57 4.89E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 176.57 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 158.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 155.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 150.64 5.43E+01 7.97E-04 8.01 -10.62 40 -27.466 74.11 150.64 5.43E+01 7.97E-04 8.01 -10.62 41 -27.466 74.11 150.64 5.43E+01 7.97E-04 8.01 -10.62 42 -27.466 74.11 150.64 5.43E+01 7.97E-04 8.01 -10.62 42 -27.466 74.11 150.64 5.43E+01 7.97E-04 8.01 -10.62 42 -27.466 74.11 150.64 5.43E+01 7.97E-04 8.01 -10.62	Hgt_km	Lat	LonE			- 0	_	V_m/s
0 -27.466 74.11 190.04 5.53E+02 1.52E-02 -3.24 2.91 2 -27.466 74.11 196.26 4.53E+02 1.21E-02 -2.25 8.49 4 -27.466 74.11 199.76 3.73E+02 9.76E-03 2.87 10.49 6 -27.466 74.11 199.88 3.08E+02 8.05E-03 9.61 12.16 8 -27.466 74.11 199.88 2.53E+02 6.68E-03 14.95 12.17 10 -27.466 74.11 195.73 2.09E+02 5.57E-03 18.24 12.43 12 -27.466 74.11 193.29 1.71E+02 4.63E-03 20.72 13.52 14 -27.466 74.11 191.06 1.40E+02 3.83E-03 21.44 13.9 16 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41	-3.66	-27.466	74.11	190.46	8.12E+02	2.23E-02	1.04	11.63
2 -27.466 74.11 196.26 4.53E+02 1.21E-02 -2.25 8.49 4 -27.466 74.11 199.76 3.73E+02 9.76E-03 2.87 10.49 6 -27.466 74.11 199.88 3.08E+02 8.05E-03 9.61 12.16 8 -27.466 74.11 198.28 2.53E+02 6.68E-03 14.95 12.17 10 -27.466 74.11 195.73 2.09E+02 5.57E-03 18.24 12.43 12 -27.466 74.11 193.29 1.71E+02 4.63E-03 20.72 13.52 14 -27.466 74.11 191.06 1.40E+02 3.83E-03 21.44 13.9 16 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81	-2	-27.466	74.11	177.78	6.84E+02	2.01E-02	-0.2	10.3
4 -27.466 74.11 199.76 3.73E+02 9.76E-03 2.87 10.49 6 -27.466 74.11 199.88 3.08E+02 8.05E-03 9.61 12.16 8 -27.466 74.11 198.28 2.53E+02 6.68E-03 14.95 12.17 10 -27.466 74.11 195.73 2.09E+02 5.57E-03 18.24 12.43 12 -27.466 74.11 193.29 1.71E+02 4.63E-03 20.72 13.52 14 -27.466 74.11 191.06 1.40E+02 3.83E-03 21.44 13.9 16 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 176.57 4.89E+01 1.45E-03 8.32 <td>0</td> <td>-27.466</td> <td>74.11</td> <td>190.04</td> <td>5.53E+02</td> <td>1.52E-02</td> <td>-3.24</td> <td>2.91</td>	0	-27.466	74.11	190.04	5.53E+02	1.52E-02	-3.24	2.91
6 -27.466 74.11 199.88 3.08E+02 8.05E-03 9.61 12.16 8 -27.466 74.11 198.28 2.53E+02 6.68E-03 14.95 12.17 10 -27.466 74.11 195.73 2.09E+02 5.57E-03 18.24 12.43 12 -27.466 74.11 193.29 1.71E+02 4.63E-03 20.72 13.52 14 -27.466 74.11 191.06 1.40E+02 3.83E-03 21.44 13.9 16 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 171.657 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.657 4.89E+01 1.20E-03 8.94<	2	-27.466	74.11	196.26	4.53E+02	1.21E-02	-2.25	8.49
8 -27.466 74.11 198.28 2.53E+02 6.68E-03 14.95 12.17 10 -27.466 74.11 195.73 2.09E+02 5.57E-03 18.24 12.43 12 -27.466 74.11 193.29 1.71E+02 4.63E-03 20.72 13.52 14 -27.466 74.11 191.06 1.40E+02 3.83E-03 21.44 13.9 16 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 184.2 7.55E+01 2.15E-03 13.57 4.22 22 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 176.57 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.65 3.93E+01 1.20E-03 8.94 <td>4</td> <td>-27.466</td> <td>74.11</td> <td>199.76</td> <td>3.73E+02</td> <td>9.76E-03</td> <td>2.87</td> <td>10.49</td>	4	-27.466	74.11	199.76	3.73E+02	9.76E-03	2.87	10.49
10 -27.466 74.11 195.73 2.09E+02 5.57E-03 18.24 12.43 12 -27.466 74.11 193.29 1.71E+02 4.63E-03 20.72 13.52 14 -27.466 74.11 191.06 1.40E+02 3.83E-03 21.44 13.9 16 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 184.2 7.55E+01 2.15E-03 13.57 4.22 22 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 171.657 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.657 3.93E+01 1.20E-03 8.94 -9.99 28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64<	6	-27.466		199.88	3.08E+02	8.05E-03	9.61	12.16
12 -27.466 74.11 193.29 1.71E+02 4.63E-03 20.72 13.52 14 -27.466 74.11 191.06 1.40E+02 3.83E-03 21.44 13.9 16 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 184.2 7.55E+01 2.15E-03 13.57 4.22 22 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 176.57 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.65 3.93E+01 1.20E-03 8.94 -9.99 28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64 -10.73 30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.45 1.94E+01 </td <td>8</td> <td>-27.466</td> <td>74.11</td> <td>198.28</td> <td>2.53E+02</td> <td>6.68E-03</td> <td>14.95</td> <td>12.17</td>	8	-27.466	74.11	198.28	2.53E+02	6.68E-03	14.95	12.17
14 -27.466 74.11 191.06 1.40E+02 3.83E-03 21.44 13.9 16 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 184.2 7.55E+01 2.15E-03 13.57 4.22 22 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 171.657 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.65 3.93E+01 1.20E-03 8.94 -9.99 28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64 -10.73 30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 <td>10</td> <td>-27.466</td> <td>74.11</td> <td>195.73</td> <td>2.09E+02</td> <td>5.57E-03</td> <td>18.24</td> <td></td>	10	-27.466	74.11	195.73	2.09E+02	5.57E-03	18.24	
16 -27.466 74.11 188.9 1.14E+02 3.17E-03 20.25 12.35 18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 184.2 7.55E+01 2.15E-03 13.57 4.22 22 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 176.57 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.65 3.93E+01 1.20E-03 8.94 -9.99 28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64 -10.73 30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 <td>12</td> <td>-27.466</td> <td>74.11</td> <td>193.29</td> <td>1.71E+02</td> <td>4.63E-03</td> <td>20.72</td> <td>13.52</td>	12	-27.466	74.11	193.29	1.71E+02	4.63E-03	20.72	13.52
18 -27.466 74.11 186.7 9.32E+01 2.61E-03 17.41 8.97 20 -27.466 74.11 184.2 7.55E+01 2.15E-03 13.57 4.22 22 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 176.57 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.65 3.93E+01 1.20E-03 8.94 -9.99 28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64 -10.73 30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 -9.51 36 -27.466 74.11 149.89 9.11E+01 3.18E-04 -5.7 <td>14</td> <td>-27.466</td> <td>74.11</td> <td>191.06</td> <td>1.40E+02</td> <td>3.83E-03</td> <td>21.44</td> <td></td>	14	-27.466	74.11	191.06	1.40E+02	3.83E-03	21.44	
20 -27.466 74.11 184.2 7.55E+01 2.15E-03 13.57 4.22 22 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 176.57 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.65 3.93E+01 1.20E-03 8.94 -9.99 28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64 -10.73 30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 -9.51 36 -27.466 74.11 151.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7<	16	-27.466	74.11	188.9	1.14E+02	3.17E-03	20.25	12.35
22 -27.466 74.11 181.02 6.09E+01 1.76E-03 9.81 -1.48 24 -27.466 74.11 176.57 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.65 3.93E+01 1.20E-03 8.94 -9.99 28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64 -10.73 30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 -9.51 36 -27.466 74.11 151.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7 -7.41 40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.0	18	-27.466	74.11	186.7	9.32E+01	2.61E-03	17.41	8.97
24 -27.466 74.11 176.57 4.89E+01 1.45E-03 8.32 -7.31 26 -27.466 74.11 171.65 3.93E+01 1.20E-03 8.94 -9.99 28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64 -10.73 30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 -9.51 36 -27.466 74.11 151.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7 -7.41 40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.09 -4.23 42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.	20	-27.466	74.11	184.2	7.55E+01	2.15E-03	13.57	4.22
26 -27.466 74.11 171.65 3.93E+01 1.20E-03 8.94 -9.99 28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64 -10.73 30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 -9.51 36 -27.466 74.11 151.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7 -7.41 40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.09 -4.23 42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.17 0.42 44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.	22	-27.466	74.11	181.02	6.09E+01	1.76E-03	9.81	-1.48
28 -27.466 74.11 167.03 3.13E+01 9.81E-04 8.64 -10.73 30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 -9.51 36 -27.466 74.11 151.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7 -7.41 40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.09 -4.23 42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.17 0.42 44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.77 7.08 46 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.	24	-27.466	74.11	176.57	4.89E+01	1.45E-03	8.32	-7.31
30 -27.466 74.11 162.61 2.48E+01 7.97E-04 8.01 -10.62 32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 -9.51 36 -27.466 74.11 151.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7 -7.41 40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.09 -4.23 42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.17 0.42 44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.77 7.08 46 -27.466 74.11 152.67 3.22E+00 1.10E-04 -5.43 17.36 48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	26	-27.466	74.11	171.65	3.93E+01	1.20E-03	8.94	-9.99
32 -27.466 74.11 158.4 1.94E+01 6.41E-04 6.83 -10.19 34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 -9.51 36 -27.466 74.11 151.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7 -7.41 40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.09 -4.23 42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.17 0.42 44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.77 7.08 46 -27.466 74.11 152.67 3.22E+00 1.10E-04 -5.43 17.36 48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	28	-27.466	74.11	167.03	3.13E+01	9.81E-04	8.64	-10.73
34 -27.466 74.11 154.53 1.51E+01 5.11E-04 4.02 -9.51 36 -27.466 74.11 151.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7 -7.41 40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.09 -4.23 42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.17 0.42 44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.77 7.08 46 -27.466 74.11 152.67 3.22E+00 1.10E-04 -5.43 17.36 48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	30	-27.466	74.11	162.61	2.48E+01	7.97E-04	8.01	-10.62
36 -27.466 74.11 151.51 1.17E+01 4.05E-04 -1.06 -9.08 38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7 -7.41 40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.09 -4.23 42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.17 0.42 44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.77 7.08 46 -27.466 74.11 152.67 3.22E+00 1.10E-04 -5.43 17.36 48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	32	-27.466	74.11	158.4	1.94E+01	6.41E-04	6.83	-10.19
38 -27.466 74.11 149.89 9.11E+00 3.18E-04 -5.7 -7.41 40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.09 -4.23 42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.17 0.42 44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.77 7.08 46 -27.466 74.11 152.67 3.22E+00 1.10E-04 -5.43 17.36 48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	34	-27.466	74.11	154.53	1.51E+01	5.11E-04	4.02	-9.51
40 -27.466 74.11 149.63 7.04E+00 2.46E-04 -8.09 -4.23 42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.17 0.42 44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.77 7.08 46 -27.466 74.11 152.67 3.22E+00 1.10E-04 -5.43 17.36 48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	36	-27.466	74.11	151.51	1.17E+01	4.05E-04	-1.06	-9.08
42 -27.466 74.11 150.64 5.43E+00 1.89E-04 -8.17 0.42 44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.77 7.08 46 -27.466 74.11 152.67 3.22E+00 1.10E-04 -5.43 17.36 48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	38	-27.466	74.11	149.89	9.11E+00	3.18E-04	-5.7	-7.41
44 -27.466 74.11 152.18 4.19E+00 1.44E-04 -6.77 7.08 46 -27.466 74.11 152.67 3.22E+00 1.10E-04 -5.43 17.36 48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	40	-27.466	74.11	149.63	7.04E+00	2.46E-04	-8.09	-4.23
46 -27.466 74.11 152.67 3.22E+00 1.10E-04 -5.43 17.36 48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	42	-27.466	74.11	150.64	5.43E+00	1.89E-04	-8.17	0.42
48 -27.466 74.11 149.78 2.51E+00 8.76E-05 -6.7 19.86	44	-27.466	74.11	152.18	4.19E+00	1.44E-04	-6.77	7.08
	46	-27.466	74.11	152.67	3.22E+00	1.10E-04	-5.43	17.36
50 -27.466 74.11 145.65 1.93E+00 6.95E-05 -10.15 17.98	48	-27.466	74.11	149.78	2.51E+00	8.76E-05	-6.7	19.86
	50	-27.466	74.11	145.65	1.93E+00	6.95E-05	-10.15	17.98



Comparison with MER EDL models

- Paul Withers at Boston University compared the MER EDL data with various models including Mars-GRAM
- Mars-GRAM averages within 5% of the MER values
- For surface-pressure corrected results, Mars-GRAM is one of two models that averages a ratio of 1.0 to the MER data, the other is MGCM (TES dust)







Entry Probe Mission Site Selection

- Mars-GRAM could be a valuable tool for planning of future Mars entry probe missions
- Mars-GRAM can provide data on density, temperature, pressure, winds, and selected atmospheric constituents for mission sites on Mars
- Currently, Mars-GRAM is being used in the Mars Science Laboratory landing site selection process



Mars Science Laboratory



Mars Science Laboratory with Power Source and Extended Arm, Artist's Concept (Courtesy NASA/JPL-Caltech)

Applications for Mars Science Laboratory Mission Site Selection:



 In order to assess Mars Science Laboratory (MSL) landing capabilities, the following candidate sites have been studied as part of our work as a member of the MSL Council of Atmospheres:

Terby Crater Holden Crater Nili

Melas Chasma Mawrth E. Meridiani

Gale Crater Miyamoto N. Meridiani

- Two mesoscale models were run for the expected MSL landing season and time of day.
 - Mars Regional Atmospheric Modeling System (MRAMS) of Southwest Research Institute⁴
 - Mars Mesoscale Model number 5 (MMM5) of Oregon State University⁵.



Other Sources of Mars Atmospheric Data

- To assess likely uncertainty in atmospheric representation at these candidate sites, two other sources of atmospheric data were also analyzed:
 - A global Thermal Emission Spectrometer (TES)
 database containing averages and standard
 deviations of temperature, density, and thermal wind
 components, averaged over 5-by-5 degree latitude longitude bins and 15 degree Ls bins, for each of
 three Mars years of TES nadir data
 - A global set of TES limb sounding data, which can be queried over any desired range of latitude-longitude and Ls, to estimate averages and standard deviations of temperature and density



Characteristics of TES Nadir Database

- Three TES Mapping Years
 - Yr 1 = 4/99 2/01
 - Yr 2 = 2/01 1/03
 - Yr 3 = 1/03 11/04
- Global TES Nadir Data Set Means and Standard Deviations for temperature, density, and thermal wind components:
 - 5-by-5 degree Lat-Lon bins
 - 15 degree Ls bins
 - Local Solar Time = 2 or 14 hours
 - Up to 21 Pressure Levels, automatically converted to Geometric Height by Database Query Program
 - Query program gives output at TES pressure levels or interpolated to 1km altitude intervals
 - Output automatically formatted for Mars-GRAM input as Auxiliary Profile




Characteristics of TES Limb Database

- Data for TES Mapping Years 1 and 2 and ~1/2 of TES Mapping Year 3
- Query Program Allows User to Select Lat-Lon, and Ls Bins and Local True Solar Time
 - Input desired Lat-Lon and select Lat-Lon Bin widths
 - Input desired Ls and select Ls Bin width
 - Choose LTST = 2 or 14 hours (or both)
- Query Program outputs all individual profiles that match criteria, plus average and standard deviation of temperature and density of all output profiles
 - Up to 38 Pressure levels, automatically converted to geometric altitude
 - Output at pressure levels, or interpolated to 1-km altitude intervals
 - Output automatically formatted for Mars-GRAM input as Auxiliary Profile



Density Comparison


- Comparison of vertical profiles of density ratio from TES nadir data, MRAMS, MMM5, and Mars-GRAM model output for the Mawrth MSL landing site.
- Density values are represented as a ratio relative to TES Limb data
- TES Nadir and Limb data are for Map Year 1. TES Limb data is for Ls=130 +/- 15. TES nadir values from Ls=120 and Ls=135
- Mars-GRAM results are Map Year 0 with dust visible optical depth tau=0.1, LTST=1500
- TES nadir and TES limb data differ significantly - all of the models tend to agree with the limb data more than the nadir results at the MSL candidate sites
- Above ~ 20 km, differences increase between MRAMS and MMM5 results





Zonal Wind Comparison


- Comparison of vertical profiles of mean zonal (eastward) wind from MRAMS, MMM5, and Mars-GRAM for the Mawrth MSL landing site
- Wind results from MRAMS and MMM5 are more consistent than the density results between these two models





Density Standard Deviation Comparison


- Comparison of vertical profiles of density standard deviation from TES nadir data, TES limb data, and MRAMS, MMM5, and Mars-GRAM model output for the Mawrth MSL landing site
- Observed and mesoscale-modeled density standard deviations are generally less than Mars-GRAM density standard deviations, an exception being TES nadir year 2 values below ~ 5 km altitude and TES limb data above ~ 36 km.
- With nominal value rpscale=1, Mars-GRAM perturbations would be conservative
- To better represent TES and mesoscale model density perturbations, rpscale values as low as ~ 0.4 could be used.





Wind Perturbation Comparisons

- Mars-GRAM Wind Perturbation Ratio (rwscale) vs Height for MRAMS, MMM5, and nominal Mars-GRAM perturbation model values at the Gale, Melas, Terby MSL sites
- Mesoscale-modeled wind standard deviations are slightly larger (by about a factor of 1.1 to 1.2) than Mars-GRAM wind standard deviations.
- An rwscale value of about 1.2 would better replicate wind standard deviations from MRAMS or MMM5 simulations at the Gale, Terby, or Melas sites.



NASA

Conclusions

- The new Mars-GRAM auxiliary profile capability, using data from TES observations, mesoscale model output, or other sources, allows a potentially higher fidelity representation of the atmosphere, and a more accurate way of estimating inherent uncertainty in atmospheric density and winds.
- When comparing the MER EDL data with Mars-GRAM results, Mars-GRAM does well and averages a ratio of 1.0 to the MER data.
- By adjusting the rpscale and rwscale values in Mars-GRAM based on figures such as those shown in slides 14 and 15, we can provide more accurate end-to-end simulations for EDL at the candidate MSL landing sites
- Mars-GRAM would be an valuable tool to use as part of the search for potential landing sites for future Mars entry probe missions.





The authors gratefully acknowledge:

- Mike Smith, John Pearl, and other members of the TES team for providing us with their global nadir and limb data
- Scot Rafkin (Southwest Research Institute) for providing MRAMS output data
- Jeff Barnes and Dan Tyler (Oregon State University) for providing MMM5 output data
- Paul Withers (Boston University) for providing MER EDL comparison data



References

- ¹Striepe S. A. at al. (2002), AIAA Atmospheric Flight Mechanics Conference and Exhibit, Abstract # 2002-4412.
- ²Justus C. G. et al. (2005) "Mars Aerocapture and Validation of Mars-GRAM with TES Data", 53rd JANNAF Propulsion Meeting.
- ³Smith M. D. (2004) *Icarus*, 167, 148-165.
- ⁴Rafkin S. C. R. et al. (2001) *Icarus* 151, 228–256.
- ⁵Tyler D., and Barnes J. R. (2003) Workshop on Mars Atmosphere Modeling and Observations, paper # 6-2.